ELSEVIER

Brain Research 890 (2001) 351–353

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Aboitiz, F., see Ide, A. (890) 330
Ahlemeyer, B., Junker, V., Hühne, R. and Krieglstein, J.
Neuroprotective effects of NV-31, a bilobalide-derived compound: evidence for an antioxidative mechanism (890) 338
Aoki, Y., see Tamura, M. (890) 170
Aoki, Y., Tamura, M., Itoh, Y. and Ukai, Y.
Cerebroprotective action of a Na^+/Ca^{2+} channel blocker NS-7. I. Effect on the cerebral infarction and edema at the acute stage of permanent middle cerebral artery occlusion in rats (890) 162
Auger, A.P., Hexter, D.P. and McCarthy, M.M.
Sex difference in the phosphorylation of cAMP response element binding protein (CREB) in neonatal rat brain (890) 110

Bachtell, R.K., see Ryabinin, A.E. (890) 192
Barczak, A., see Macías, W. (890) 222
Bence, A.K., see Worthen, D.R. (890) 343
Berman, N.E.J., see Felzien, L.K. (890) 137
Bishop, D.C., see Nelson, A.J. (890) 272
Blondeau, N., see Ettaiche, M. (890) 118
Borsotto, M., see Ettaiche, M. (890) 118
Broman, J., see Zhang, M. (890) 280
Brooke, J.D., see Nelson, A.J. (890) 272

Carboni, S. and Rossetti, Z.L.
Increased extracellular glutamate in rat prefrontal cortex: movement artifact contribution (890) 189
Carlson, R., see Macías, W. (890) 222
Cohen, D.L.
Squid p196, a new member of the myosin-V class of motor proteins, is associated with motile axoplasmic organelles (890) 233
Crooks, P.A., see Worthen, D.R. (890) 343
Cupello, A., see Rapallino, M.V. (890) 255

Danzer, S.C., McMullen, N.T. and Rance, N.E.
Testosterone modulates the dendritic architecture of arcuate neuroendocrine neurons in adult male rats (890) 78
Dashtipour, K., Tran, P.H., Okazaki, M.M., Nadler, J.V. and Ribak, C.E.
Ultrastructural features and synaptic connections of hilar ectopic granule cells in the rat dentate gyrus are different from those of granule cells in the granule cell layer (890) 261
Davis, K.L., see Jenkins, L.W. (890) 1
Davis, M.M., see Turgeon, S.M. (890) 333
Davis, T.P., see Hom, S. (890) 38
Delivoria-Papadopoulos, M., see Maulik, D. (890) 130
Dessem, D., see Luo, P. (890) 314
DeWitt, D.S., see Jenkins, L.W. (890) 1
De Zeeuw, C.I., see van Alphen, A.M. (890) 296
Dozier, A., see Roisen, F.J. (890) 11
Dumery, B., see Parain, K. (890) 347
Durand, D.M., see Lian, J. (890) 246

Egleton, R.D., see Hom, S. (890) 38
Ettaiche, M., Heurteaux, C., Blondeau, N., Borsotto, M., Tinel, N. and Lazdunski, M.
ATP-sensitive potassium channels (K_{ATP}) in retina: a key role for delayed ischemic tolerance (890) 118

Felzien, L.K., McDonald, J.T., Gleason, S.M., Berman, N.E.J. and Klein, R.M.
Increased chemokine gene expression during aging in the murine brain (890) 137
Freeman, P., see Ryabinin, A.E. (890) 192
Freund, R.K., see Palmer, M.R. (890) 86
Fu, M., see Worthen, D.R. (890) 343

Gerhardt, G.A., see Palmer, M.R. (890) 86
Ghazanfari, F.A. and Stewart, R.R.
Characteristics of endothelial cells derived from the blood–brain barrier and of astrocytes in culture (890) 49
Giardina, K.E., see Palmer, M.R. (890) 86
Gibson, D.A., see Worthen, D.R. (890) 343
Gleason, S.M., see Felzien, L.K. (890) 137
Granholm, A.-C., see Palmer, M.R. (890) 86
Guo, Y., see Regan, R.F. (890) 177

Hahn, P., see Lian, J. (890) 246
Hastings, J.A., McClure-Sharp, J.M. and Morris, M.J.
NPY Y1 receptors exert opposite effects on corticotropin releasing factor and noradrenaline overflow from the rat hypothalamus in vitro (890) 32
Hatcher, L.M., see Roisen, F.J. (890) 11
He, Q.P., see Li, P.-A. (890) 306
Heurteaux, C., see Ettaiche, M. (890) 118
Hexter, D.P., see Auger, A.P. (890) 110
Hirsch, E., see Parain, K. (890) 347
Hom, S., Egleton, R.D., Huber, J.D. and Davis, T.P.
Effect of reduced flow on blood–brain barrier transport systems (890) 38
Huber, J.D., see Hom, S. (890) 38
Hühne, R., see Ahlemeyer, B. (890) 338
Hydén, H., see Rapallino, M.V. (890) 255

Ichikawa, H. and Sugimoto, T.
VR1-immunoreactive primary sensory neurons in the rat trigeminal ganglion (890) 184
Ide, A. and Aboitiz, F.
A sex difference in the postcentral sulcus of the human brain (890) 330
Ikemoto, K., see Kaneko, Y.S. (890) 203
Itoh, Y., see Aoki, Y. (890) 162
Itoh, Y., see Tamura, M. (890) 170
Izvarina, N.L., see Rapallino, M.V. (890) 255

Jenkins, L.W., DeWitt, D.S., Johnston, W.E., Davis, K.L. and Prough, D.S.
Intraischemic mild hypothermia increases hippocampal CA1 blood flow during forebrain ischemia (890) 1
Johnston, W.E., see Jenkins, L.W. (890) 1
Junker, V., see Ahlemeyer, B. (890) 338

Kaneko, Y.S., Ikemoto, K., Mori, K., Nakashima, A., Nagatsu, I. and Ota, A.
Expression of GTP cyclohydrolase I in murine locus ceruleus is enhanced by peripheral administration of lipopolysaccharide (890) 203
Kannan, H., see Shirasaka, T. (890) 147
Karantza, M., see Maulik, D. (890) 130
Katoh, S., see Nisijima, K. (890) 23
Kawata, M., see Ogawa, H. (890) 197
Kegel, G., see Turgeon, S.M. (890) 333
Klein, R.M., see Felzien, L.K. (890) 137
Klueber, K.M., see Roisen, F.J. (890) 11
Kojima, S., see Sasaki, T. (890) 100
Konradi, C., see Macías, W. (890) 222
Krieglstein, J., see Ahlemeyer, B. (890) 338
Kubodera, A., see Sasaki, T. (890) 100

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(00)03339-4

Lazdunski, M., see Ettaiche, M. (890) 118
Lees, G.J. and Leong, W.
In vivo, the direct and seizure-induced neuronal cytotoxicity of kainate and AMPA is modified by the non-competitive antagonist, GYKI 52466 (890) 66
Leman, S., see Salomé, N. (890) 287
Leong, W., see Lees, G.J. (890) 66
Li, P.-A., He, Q.P. and Siesjö, B.K.
Effects of intracarotid arterial injection of cyclosporin A and spontaneous hypothermia on brain damage incurred after a long period of global ischemia (890) 306
Lian, J., Shuai, J., Hahn, P. and Durand, D.M.
Nonlinear dynamic properties of low calcium-induced epileptiform activity (890) 246
Littleton, J.M., see Worthen, D.R. (890) 343
Lu, C.L., see Roisen, F.J. (890) 11
Luo, P., Dessem, D. and Zhang, J.
Axonal projections and synapses from the supratrigeminal region to hypoglossal motoneurons in the rat (890) 314

Macías, W., Carlson, R., Rajadhyaksha, A., Barczak, A. and Konradi, C.
Potassium chloride depolarization mediates CREB phosphorylation in striatal neurons in an NMDA receptor-dependent manner (890) 222
Maguire, S., see Roisen, F.J. (890) 11
Marchand, V., see Parain, K. (890) 347
Maulik, D., Qayyum, I., Powell, S.R., Karantza, M., Prakash Mishra, O. and Delivoria-Papadopoulos, M.
Post-hypoxic magnesium decreases nuclear oxidative damage in the fetal guinea pig brain (890) 130
McCarthy, M.M., see Auger, A.P. (890) 110
McClure-Sharp, J.M., see Hastings, J.A. (890) 32
McDonald, J.T., see Felzien, L.K. (890) 137
McIlroy, W.E., see Nelson, A.J. (890) 272
McMullen, N.T., see Danzer, S.C. (890) 78
Miyahara, S., see Shirasaka, T. (890) 147
Moorhead, J.W., see Palmer, M.R. (890) 86
Mori, K., see Kaneko, Y.S. (890) 203
Morris, M.J., see Hastings, J.A. (890) 32

Nadler, J.V., see Dashtipour, K. (890) 261
Nagatsu, I., see Kaneko, Y.S. (890) 203
Nakashima, A., see Kaneko, Y.S. (890) 203
Nelson, A.J., Brooke, J.D., McIlroy, W.E., Bishop, D.C. and Norrie, R.G.
The gain of initial somatosensory evoked potentials alters with practice of an accurate motor task (890) 272
Nishi, M., see Ogawa, H. (890) 197
Nisijima, K., Yoshino, T., Yui, K. and Katoh, S.
Potent serotonin (5-HT)$_{2A}$ receptor antagonists completely prevent the development of hyperthermia in an animal model of the 5-HT syndrome (890) 23
Norrie, R.G., see Nelson, A.J. (890) 272
Nurhidayat, ., Tsukamoto, Y. and Sasaki, F.
Role of the gonads in sex differentiation of growth hormone-releasing hormone and somatostatin neurons in the mouse hypothalamus during postnatal development (890) 154

Ogawa, H., Nishi, M. and Kawata, M.
Localization of nuclear coactivators p300 and steroid receptor coactivator 1 in the rat hippocampus (890) 197
Ohno, T., see Sasaki, T. (890) 100
Okazaki, M.M., see Dashtipour, K. (890) 261
Ota, A., see Kaneko, Y.S. (890) 203

Palmer, M.R., Granholm, A.-C., Van Horne, C.G., Giardina, K.E., Freund, R.K., Moorhead, J.W. and Gerhardt, G.A.
Intranigral transplantation of solid tissue ventral mesencephalon or striatal grafts induces behavioral recovery in 6-OHDA-lesioned rats (890) 86
Parain, K., Marchand, V., Dumery, B. and Hirsch, E.
Nicotine, but not cotinine, partially protects dopaminergic neurons against MPTP-induced degeneration in mice (890) 347
Pourcho, R.G., see Qin, P. (890) 211
Powell, S.R., see Maulik, D. (890) 130
Prakash Mishra, O., see Maulik, D. (890) 130
Prough, D.S., see Jenkins, L.W. (890) 1

Qayyum, I., see Maulik, D. (890) 130
Qin, P. and Pourcho, R.G.
Immunocytochemical localization of kainate-selective glutamate receptor subunits GluR5, GluR6, and GluR7 in the cat retina (890) 211

Rajadhyaksha, A., see Macías, W. (890) 222
Rance, N.E., see Danzer, S.C. (890) 78
Rapallino, M.V., Cupello, A., Hydén, H. and Izvarina, N.L.
Modulation by acute stress of chloride permeation across microdissected vestibular neurons membranes: different results in two rabbit strains and CRF involvement (890) 255
Regan, R.F. and Guo, Y.
Magnesium deprivation decreases cellular reduced glutathione and causes oxidative neuronal death in murine cortical cultures (890) 177
Ribak, C.E., see Dashtipour, K. (890) 261
Risinger, F.O., see Ryabinin, A.E. (890) 192
Rogers, D.T., see Worthen, D.R. (890) 343
Roisen, F.J., Klueber, K.M., Lu, C.L., Hatcher, L.M., Dozier, A., Shields, C.B. and Maguire, S.
Adult human olfactory stem cells (890) 11
Rossetti, Z.L., see Carboni, S. (890) 189

Ryabinin, A.E., Bachtell, R.K., Freeman, P. and Risinger, F.O.
ITF expression in mouse brain during acquisition of alcohol self-administration (890) 192

Salomé, N., Viltart, O., Leman, S. and Sequeira, H.
Activation of ventrolateral medullary neurons projecting to spinal autonomic areas after chemical stimulation of the central nucleus of amygdala: a neuroanatomical study in the rat (890) 287
Sasaki, F., see Nurhidayat, . (890) 154
Sasaki, T., Senda, M., Ohno, T., Kojima, S. and Kubodera, A.
Effect of in vitro ischemic or hypoxic treatment on mitochondrial electron transfer activity in rat brain slices assessed by gas–tissue autoradiography using [^{15}O] molecular oxygen (890) 100
Senda, M., see Sasaki, T. (890) 100
Sequeira, H., see Salomé, N. (890) 287
Seto, T., see Tamura, M. (890) 170
Shields, C.B., see Roisen, F.J. (890) 11
Shirasaka, T., Miyahara, S., Takasaki, M. and Kannan, H.
Nociceptin/orphanin FQ and [Phe$^1\psi$(CH$_2$-NH)Gly^2]nociceptin(1–13)NH$_2$ modulates the activity of hypothalamic paraventricular nucleus neurons in vitro (890) 147
Shuai, J., see Lian, J. (890) 246
Siesjö, B.K., see Li, P.-A. (890) 306
Stahl, J.S., see van Alphen, A.M. (890) 296
Stewart, R.R., see Ghazanfari, F.A. (890) 49
Sugimoto, T., see Ichikawa, H. (890) 184

Takasaki, M., see Shirasaka, T. (890) 147
Tamura, M., see Aoki, Y. (890) 162
Tamura, M., Aoki, Y., Seto, T., Itoh, Y. and Ukai, Y.
Cerebroprotective action of a Na$^+$/Ca^{2+} channel blocker NS-7. II. Effect on the cerebral infarction, behavioral and cognitive impairments at the chronic stage of permanent middle cerebral artery occlusion in rats (890) 170
Tinel, N., see Ettaiche, M. (890) 118
Tran, P.H., see Dashtipour, K. (890) 261
Tsukamoto, Y., see Nurhidayat, . (890) 154
Turgeon, S.M., Kegel, G. and Davis, M.M.
Electrolytic lesions of the medial septum enhance latent inhibition in a conditioned taste aversion paradigm (890) 333

Ukai, Y., see Aoki, Y. (890) 162
Ukai, Y., see Tamura, M. (890) 170

van Alphen, A.M., Stahl, J.S. and De Zeeuw, C.I.
The dynamic characteristics of the mouse horizontal vestibulo-ocular and

optokinetic response (890) 296
van Horne, C.G., see Palmer, M.R. (890) 86
Viltart, O., see Salomé, N. (890) 287

Worthen, D.R., Gibson, D.A., Rogers, D.T., Bence, A.K., Fu, M., Littleton, J.M. and Crooks, P.A.
Endogenous indoles as novel polyamine site ligands at the *N*-methyl-D-aspartate receptor complex (890) 343

Yoshino, T., see Nisijima, K. (890) 23
Yui, K., see Nisijima, K. (890) 23

Zhang, J., see Luo, P. (890) 314
Zhang, M. and Broman, J.
Morphological features of cat cervicothalamic tract terminations in different target regions (890) 280